

Title: Petrology and volcanology of the Roccamonfina volcano

Tutor: Prof. Lorenzo Fedele

Co-tutor: Prof. Paola Petrosino

Proposal

Despite being the very first among the Italian volcanoes of the Roman Magmatic Province investigated in detail by the pioneering work of Appleton (1972), and the first in which younger products belonging to a shoshonitic, leucite-free series were found associated with older leucite-bearing ultrapotassic rocks (e.g. Conticelli et al. 2010), the Roccamonfina volcano deserved much less scientific attention with respect to other Campanian volcanic districts like Somma-Vesuvius and Campi Flegrei. The general stratigraphic sequence, the styles of volcanic activity and the compositional variability of the feeding magmas were defined mostly during early investigations in the late XX century (e.g. Giannetti and Luhr 1983; Luhr and Giannetti 1987; Cole et al. 1992; De Rita and Giordano 1996; Giordano 1998), and the last petrological study of the volcano dates back to almost 15 years ago (Conticelli et al. 2009). Moreover, limited knowledges are available about the initial stages of activity and age determinations have been mainly carried out (mostly by K-Ar) on the products of the largest eruptions of the Brown Leucitic Tuff (350 ka) and the White Trachytic Tuff (331-230 ka; Rouchon et al. 2008).

The present research program is part of the CARG project for the redaction of the geological map of Italy at the 1:50.000 scale (sheet 417 "Teano", Scientific coordinator: Prof. Vincenzo Morra). The aim is to perform a detailed petrological, volcanological and geochronological investigation of the volcanic products of the Roccamonfina, in order to better define the overall volcanological and magma-genetic evolution of the volcano.

Research Program

The proposed PhD project is focused on a petrological and volcanological study of the Roccamonfina volcano. The work program will start with the study of the available literature and with field work aimed at recognizing the main volcanic deposits and precisely defining their stratigraphic relationships. This will be followed by a detailed sampling, covering the entire period of activity of the volcano. The collected rock samples will be then investigated by means of petrographic, mineral and glass chemical and whole-rock major- and trace elements and radiogenic isotopes geochemical analyses. Most of these will be performed using the instrumental facilities at the DiSTAR, where the PhD student will have the possibility to acquire

technical skills in numerous different types of analytical methods, including polarized light optical microscopy, scanning electron microscopy, SEM-EDS microanalysis, X-ray Fluorescence geochemistry and mass spectrometry isotope geochemistry. Training courses of the DiSTAR PhD will be also available for the PhD student at the host University for improving knowledges on different topics of the Earth Science disciplines.

The ideal candidate should have a strong background in volcanology, petrology and geochemistry, and a sincere inclination to both field and laboratory activities. Good knowledge of the English language, both spoken and written, is also a fundamental requisite, such as to allow a period of visiting fellowship at a foreign institution for at least five months. During this, the PhD candidate will not only learn how to interact and collaborate with local researchers and research groups, but will also have the opportunity to further develop some specific aspects of the research program, acquiring experience in additional analytical methods (e.g. EMPA, LA-ICP-MS, Ar-Ar and/or U-Pb geochronology).

Financial support will be provided by the CARG project grants.

Cited references

- Appleton JD (1972) Petrogenesis of potassium-rich lavas from the Roccamonfina Volcano, Roman Region, Italy. *J Petrol* 13, 425-456.
- Cole PD, Guest JE, Duncan AM, Chester DK, Bianchi R (1992) Postcollapse volcanic history of calderas on a composite volcano: an example from Roccamonfina, Southern Italy. *Bull Volcanol* 54, 504-520.
- Conticelli S, Marchionni S, Rosa D, Giordano G, Boari E, Avanzinelli R (2009) Shoshonite and sub-alkaline magmas from an ultrapotassic volcano: Sr-Nd-Pb isotope data on the Roccamonfina volcanic rocks, Roman Magmatic Province, Southern Italy. *Contrib Mineral Petrol* 157, 41-63.
- Conticelli S, Laurenzi MA, Giordano G, Mattei M, Avanzinelli R, Melluso L, Tommasini S, Boari E, Cifelli F, Perini G (2010) Leucite-bearing (kamafugitic/leucitic) and -free (lamproitic) ultrapotassic rocks and associated shoshonites from Italy: constraints on petrogenesis and geodynamics. In: Beltrando M, Peccerillo A, Mattei M, Conticelli S, Doglioni C (eds) *The Geology of Italy: tectonics and life along plate margins*. *J Virtual Expl* 36, paper 20.
- De Rita D, Giordano G (1996) Volcanological and structural evolution of Roccamonfina volcano (southern Italy). In: Mc Guire WJ, Jones AP, Neuberg J (eds) *Volcano instability on the Earth and other Planets* 110. Geological Soc London, pp 209-224.
- Giannetti B, Luhr JF (1983) The White Trachitic Tuff of Roccamonfina volcano (Roman Region, Italy). *Contrib Mineral Petrol* 84, 235-252.
- Giordano G (1998) Facies characteristics and magma-water interaction of the White

- Trachytic Tuffs (Roccamonfina Volcano, Italy). *Bull Volcanol* 60, 10-26.
- Luhr JF, Giannetti B (1987) The Brown Leucitic Tuff of Roccamonfina volcano (Roman Region, Italy). *Contrib Mineral Petrol* 95, 420-436.
- Rouchon V, Gillot P-Y, Quidelleur X, Chiesa S, Floris B (2008) Temporal evolution of the Roccamonfina volcanic complex (Pleistocene), Central Italy. *J Volcanol Geotherm Res* 177, 500-514.